Ref #	Hits	Search Query	DBs	Defa ult Oper ator	Plurals	Time Stamp
L2	1	"11590937"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/24 09:13
L3	1	"10590937"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/24 09:13
L4	24	(sampl\$4 near3 rate near4 downlink)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/24 09:16
L5	2	(sampl\$4 near3 rate near4 downlink) with (lost or loss)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/24 09:17
L6	3	packet near8 loss near8 sampl\$4 near8 periodic\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/24 09:42
L7	0	(discrete near signal) with (packet near2 (loss or lost))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/24 09:55
L8	14336	(discrete near signal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/24 09:55

L9	116783	(discrete near signal) or (sampl\$4 near2 rate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/24 09:55
L10	132	((discrete near signal) or (sampl\$4 near2 rate)) same (packet near loss)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/24 09:57
L11	209	((discrete near signal) or (sampl\$4 near2 rate)) same downlink	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/24 09:58
L12	331	((discrete near signal) or (sampl\$4 near2 rate)) same (downlink or uplink)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/24 11:11
L13	101	((discrete near signal) or (sampl\$4 near2 rate)) same (downlink and uplink)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/24 11:11
L14	51	13 and @ad< "20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/24 11:12
L15	6	"10702203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/24 11:16

L16	1	"10702023"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/24 11:17
S1	1	"10584702"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 13:43
S2	1	"10590884"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 13:45
\$3	1	wo-0245275-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 14:05
S4	3	"20040071085"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 14:07
S5	0	ep-0969635-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 14:08
S6	0	ep-2000969635-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 14:08

12/24/2009 11:44:42 AM Page 3

S7	0	"2000969623"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 14:10
\$8	0	2000969635-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 14:10
\$9	0	"2000969635".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 14:10
S10	0	"ej-2000969635".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 14:11
S11	0	"2000969635"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 14:11
S12	0	ep-2000969635-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 14:37
S13	4279	("MRF" or (media near rsource near function))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 14:51

S14	109	("MRF" or (media near rsource near function)) and ("RTP" or (real adj time adj protocol))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 14:52
S15	1622	(samp\$4 near8 rate near8 loss)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 14:59
S16	3	S14 and S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 14:59
S17	2	"20030117972"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 15:18
S18	77	(samp\$4 near8 rate near8 loss) and ("RTP" or (real adj time adj protocol))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 15:25
S19	1571	((sampling or sample) near8 rate near8 loss)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 15:39
S20	6	((sampling or sample) near8 rate near8 loss) and (packet near3 switch)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 15:40

S21	90	((sampling or sample) near8 rate near8 loss) and (packet near3 switch\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 15:40
S22	71	((sampling or sample) near8 rate near8 loss) and (packet near3 switch\$3) and "RTP"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 15:48
S23	3	((sampling or sample) near8 rate near8 loss) and "RTP" and "MRF"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 15:56
S24	368	((sampling or sample) near8 rate near8 loss) and (real adj time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 15:56
S25	34	((sampling or sample) near8 rate near8 loss) and (real adj time) and (slid\$4 near3 window)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 16:00
S26	46	("MRF" or (media near rsource near function)) and ("RTP" or (real adj time adj protocol)) and bandwidth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 16:02
S27	3	("MRF" or (media near rsource near function)) and ("RTP" or (real adj time adj protocol)) and bandwidth and (samp\$4 near2 rate near3 loss)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 16:07

Page 6

S28	106	("MRF" or (media near rsource near function)) and ((push near2 talk) or (talk\$4 near4 walk\$4) or "Poc" or "PTT")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 16:09
S29	146	("MRF" or (media near resource near function)) and ((push near2 talk) or (talk\$4 near4 walk\$4) or "Poc" or "PTT")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 16:09
\$30	2	("MRF" or (media near resource near function)) and ((push near2 talk) or (talk\$4 near4 walk\$4) or "Poc" or "PTT") and ((sampling or sample) near8 rate near8 loss)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 16:12
S31	9	("MRF" or (media near resource near function)) and ((push near2 talk) or (talk\$4 near4 walk\$4) or "Poc" or "PTT") and ((sampling or sample) near8 rate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 16:12
S32	146	("MRF" or (media near resource near function)) and ((push near2 talk) or (talk\$4 near4 walk\$4) or "Poc" or "PTT")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 16:13
S33	5414	(samp\$4 near8 rate near8 loss) or (nyquist near rate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 16:44
S34	63	(samp\$4 near8 rate near8 packet near3 loss)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 16:44

\$35	3	"20020163932"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 17:09
S36	3	("MRF" or (media near rsource near function)) and (samp\$4 near8 rate near8 packet near3 loss)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 17:58
\$37	3	("MRF" or (media near2 resource near2 function)) and (samp\$4 near8 rate near8 packet near3 loss)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 17:59
S38	109	("MRF" or (media near rsource near function)) and ("RTP" or (real adj time adj protocol))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 18:01
\$39	29	S38 and @ad< "20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 18:01
\$40	0	(samp\$4 near8 rate near8 packet near3 loss) and uplink and downlin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 19:27
S41	3	(samp\$4 near8 rate near8 packet near3 loss) and (uplink or downlink)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 19:28

S42	2293	(samp\$4 near8 rate) and (uplink and downlink)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 19:28
S43	49	(samp\$4 near8 rate) with (uplink and downlink)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 19:29
S44	7	(samp\$4 near8 rate near8 loss) with (downlink or "DL" or uplink or "UL")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 19:35
S45	7	(samp\$4 near8 rate near8 loss) with (downlink or "DL")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 19:38
S46	32	(samp\$4 near8 loss) with (downlink or "DL")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 19:39
S47	245	(samp\$4 near8 rate) with (downlink or "DL")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/23 19:50

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Defa ult Oper ator	Plurals	Time Stamp
L1	52	((sampl\$4 near8 rate) with link).clm.	USPAT; UPAD	OR	ON	2009/12/24 08:37

12/24/2009 11:44:42 AM Page 9